

TECHNICAL DATA SHEET

Series

07

KALEIDOS

● SUMMARY

FLUID CREAM USED AS BASE AND AS FINISHING, SUITABLE FOR ALL KINDS OF LEATHER AND MATERIALS WITH NATURAL TRANSPARENT ANILINE EFFECT. DEFINITIVE AND PERMANENT VERY INTENSE DYEING, SPECIAL FOR LEATHER DYEING TOO.
SPECIAL PRODUCT FOR DYEING ALL THE SYNTHETIC MATERIALS TOO: FAKE LEATHER, TR RUBBER, POLYURETHANE, EVA, POLYSTYRENE, ETC.

● CHARACTERISTICS

KALEIDOS is a transparent liquid special cream with “aniline leather” effect at low smell and pleasantly scented; it is a soft cream easy to apply with quick-drying and an extremely homogeneous, lasting and resistant colour. It improves the appearance of the grain, giving leather an aniline/wax effect with soft hand. **KALEIDOS** is particularly suitable as first-hand product for all KENDA FARBEN finishing creams, for example like **SIRIO** and **SETA**. **KALEIDOS** dyes leather in a natural transparent way without covering the natural leather veins. **KALEIDOS** has no limits to obtain unique and particular colours: it is suitable for all kinds of leather (it can be used on raw leather from non-finished crusts to correct grain leather or white pigments) and thanks to its special formulation it is very easy to obtain “vintage”, sponged and striped effects. **KALEIDOS** is the only product in cream to modify the leather colour obtaining plenty and intense colour, totally water and abrasion resistant. Softness together with homogeneity and colour resistance with “aniline leather” effect makes **KALEIDOS** a unique product in its category. **KALEIDOS** is the only finishing dyeing product suitable also for synthetic materials as: PU soles, expanded PVC, rubber and TR rubber, polystyrene heels, EVA soles, etc.

● APPLICATION FOR LEATHERS

- Apply **KALEIDOS** on all the sole by natural or synthetic sponge with circular and uniform motion
- let dry for approx. 10/15 minutes
- brush with cloth brush treated with **ABRALUX 32800**
- apply **SETA** or **SIRIO** or other finishing cream by natural or synthetic sponge
- let dry for approx. 4 minutes

This information is to the best of our knowledge true and accurate. However, all recommendations or suggestions are made without guarantee, since the conditions of use are beyond our control.

02-08-2021 GA/pm



QUALITY MANAGEMENT
SYSTEM
CERTIFIED ISO 9001

TECHNICAL DATA SHEET

Series

07

KALEIDOS

● SUMMARY

**FLUID CREAM USED AS BASE AND AS FINISHING, SUITABLE FOR ALL KINDS OF LEATHER AND MATERIALS WITH NATURAL TRANSPARENT ANILINE EFFECT. DEFINITIVE AND PERMANENT VERY INTENSE DYEING, SPECIAL FOR LEATHER DYEING TOO.
SPECIAL PRODUCT FOR DYEING ALL THE SYNTHETIC MATERIALS TOO: FAKE LEATHER, TR RUBBER, POLYURETHANE, EVA, POLYSTYRENE, ETC.**

- brush with cloth brush treated with **ABRALUX 32800**, then polish by woollen brush and wax **CARNAUBA 32817** (brush speed 800-900 rpm)

● CONSUMPTION

Man 8-10 g per pair

Women 6-8 g per pair

● APPLICATION FOR SYNTHETIC MATERIALS

- Apply **KALEIDOS** on all the surface to be coloured by natural or synthetic sponge with circular and uniform motion
- let dry for approx. 10/15 minutes
- brush with horsehair or cloth brush
- brush with woollen brush treated with wax **CARNAUBA 32817** (brush speed 800-900 rpm)

● COLOURS

● SOLVENTS

● PACKING

Can of Lt. 5 - carton of n. 4 cans

This information is to the best of our knowledge true and accurate. However, all recommendations or suggestions are made without guarantee, since the conditions of use are beyond our control.

02-08-2021 GA/pm



QUALITY MANAGEMENT
SYSTEM
CERTIFIED ISO 9001

TECHNICAL DATA SHEET

Series

07

KALEIDOS

- SUMMARY

**FLUID CREAM USED AS BASE AND AS FINISHING, SUITABLE FOR ALL KINDS OF LEATHER AND MATERIALS WITH NATURAL TRANSPARENT ANILINE EFFECT. DEFINITIVE AND PERMANENT VERY INTENSE DYEING, SPECIAL FOR LEATHER DYEING TOO.
SPECIAL PRODUCT FOR DYEING ALL THE SYNTHETIC MATERIALS TOO: FAKE LEATHER, TR RUBBER, POLYURETHANE, EVA, POLYSTYRENE, ETC.**

- STORAGE

The expire date of the product shown on the label is valid for products if kept away from direct heat and cold and at standard storage conditions (minimum temperature 4°C to maximum 40°C).
Exceeding the expiration date does not necessarily mean that the product no longer meets the specifications or values set.
However, before using this product after the expiration date, Kenda Farben recommends checking whether it still meets the reference specifications or values. Kenda Farben will not be in any way responsible for failure to comply with specifications or values set after the deadline or due to incorrect storage that can shorten the life of the product.

This information is to the best of our knowledge true and accurate. However, all recommendations or suggestions are made without guarantee, since the conditions of use are beyond our control.

02-08-2021 GA/pm